

**Yummy Series**  
**Dual Pot Air Fryer**  
**SPEC FOR EU STANDARD**



## 1. SPEC DATA

|                                     |                          |
|-------------------------------------|--------------------------|
| NAME: DUAL POT AIR FRYER OVEN       | MODEL: KFT90-1750S       |
| VHZ: 220-240VAC/50-60Hz             | POWER: 2200-2600W        |
| Capacity: single 6L + 4L, total 10L |                          |
| TIME: 1-60min.                      | TEMPERATURE: 40-200℃     |
| PRODUCTION SIZE: 400L*361W*320Hmm   | G.W./N.W.: 8.5KGS/7.5KGS |
| CE, CB, ETL, LFGB, ROSH, FDA        |                          |

## 2. MAIN MATERIAL

|                        |                                              |                              |                                              |
|------------------------|----------------------------------------------|------------------------------|----------------------------------------------|
| <b>Top cover</b><br>顶盖 | PP                                           | <b>Base</b><br>底座            | PP                                           |
| <b>Cover</b><br>面壳     | PP                                           | /                            | /                                            |
| <b>Liner</b><br>内胆     | Nylon + metal                                | <b>Control panel</b><br>显示面板 | sticker                                      |
| <b>Food tray</b><br>物盘 | Aluminized cold plate with non-stick coating | <b>Food rack</b><br>食物架      | Aluminized cold plate with non-stick coating |

### 3. SETTING

1. Power off protection: pull out the tray during operation, the machine suspends work, put back the tray, the machine continues to work;
2. Single-pot operation process: After power, press the ① pot, select the preset menu, adjust the time and temperature according to the amount of ingredients, press the ► key to start. Press again to suspend the work, and then press the pan again to readjust the time and temperature;
3. Dual pot operation process: After power, press the ① pot, select the preset menu, adjust the time and temperature according to the amount of ingredients, then press the ② pot, select the preset menu, adjust the time and temperature according to the amount of ingredients, press the ► key, the two POTS start to work at the same time. Press again to suspend the work, and then press the ①/② pot, you can readjust the time and temperature;
4. Smart Finish/SYNC Finish: Different ingredients, at the same time to do the pot, the operation process is consistent with the double pot operation process. The pot with the longest cooking time works first, and the two pans work together when the time is the same;
5. Match Cook/DUAL COOK: Same ingredients, easy to operate. When the same ingredients are placed in both POTS, select the Match Cook/DUAL COOK function key, then select the menu, adjust the time and temperature according to the amount of ingredients, press the ► key, and the two POTS will start to work, heating together.
6. Press the stove lamp button to turn on the inner wall lamp. After 3 minutes, the inner wall lamp will turn off automatically, press the furnace lamp button again, and the inner wall lamp will turn on again.

### 4. FEATURE

- 1.Option of switching between a single 12L Air-Fryer Oven into a Dual-zone Air Fryer with two 5.5L compartments

2. Cook two dishes in one time without affecting each other
3. Smart - Finish which programs the two cooks to finish at the same time even though the settings are different
4. LED Display with touch screen
5. Digital control time and temperature
6. Adjustable temperature : 50-200°C
7. Preset functions: Reheat, Air Fry, Bake, Roast, Broil, Dehydrate, Keep-Warm, Grill
8. Oil-free cooking
9. Safety microswitch, Auto shut off; overheating security system; digital display; Anti-slider fee

## 5. NOTE

- (1) X = Variables version.
- (2) xxx for Output voltage and yyy for output current, what you are going to order, please must specify to sales.
- (3) Safety approvals according to the AC plug type, which is different from each other.
- (4) Safety model number differs from the order number, part number, and shape number as per respective OEM/ODM factories.

Kreco is not responsible for any error, and reserves the right to make changes without notice. Please visit our website for the most up-to-date specifications and contact information.